

# A note on the attractor-property of infinite-state Markov chains

Christel Baier<sup>a</sup>, Nathalie Bertrand<sup>b</sup>, Philippe Schnoebelen<sup>b</sup>

<sup>a</sup>*Universität Bonn, Institut für Informatik I, Germany*

<sup>b</sup>*Lab. Specification & Verification, CNRS UMR 8643 & ENS de Cachan, France*

---

## Abstract

In the past 5 years, a series of verification algorithms has been proposed for infinite Markov chains that have a finite attractor, i.e., a set that will be visited infinitely often almost surely starting from any state. In this paper, we establish a sufficient criterion for the existence of an attractor. We show that if the states of a Markov chain can be given levels (positive integers) such that the expected next level for states at some level  $n > 0$  is less than  $n - \Delta$  for some positive  $\Delta$ , then the states at level 0 constitute an attractor for the chain. As an application, we obtain a direct proof that some probabilistic channel systems combining message losses with duplication and insertion errors have a finite attractor.

*Key words:* Attractors in Markov chains; Verification of probabilistic systems; Lossy channel systems.

---

## 1 Introduction

In the past two decades, several methods for the automatic verification for systems modeled by finite Markov chains have been proposed, see e.g. [1–6], and have been implemented in model checkers like PRISM [7]. A striking feature of these methods is that, for checking *qualitative* properties,<sup>1</sup> they are very similar to well-known methods used for classical model checking of nondeterministic systems modeled by finite transition systems. In particular, the algorithms for verifying qualitative properties are mainly concerned with what connected components are

---

*Email addresses:* baier@cs.uni-bonn.de (Christel Baier),  
bertrand@lsv.ens-cachan.fr (Nathalie Bertrand), phs@lsv.ens-cachan.fr  
(Philippe Schnoebelen).

<sup>1</sup> I.e., properties that hold with probability 1, “almost surely”, or, dually, with probability 0.

reachable from where and the actual values of the probabilities appearing in the Markov chain are not relevant: it is sufficient to know whether a transition is possible (has a strictly positive probability) or not.

The situation is not so easy with *infinite* Markov chains. This may explain why very few works consider the algorithmic verification of probabilistic systems modeled by infinite chains. Among the numerous infinite-state nondeterministic models investigated in the model checking literature, research on verification algorithms for infinite-state Markov chains is comparatively rare. Beside model checking algorithms for probabilistic timed automata and related models [8,9], we are only aware of two examples where researchers considered extending infinite-state models with probabilistic aspects: probabilistic pushdown systems and probabilistic lossy channel systems. While the methods for analyzing *probabilistic pushdown systems* rely on the fact that one can abstract the set of configurations into finitely many classes that behave uniformly w.r.t. probabilistic aspects [10–13], the verification algorithms for *channel systems with probabilistic message losses* are based on the existence of a *finite attractor*, a set of configurations that will almost surely be visited infinitely often. In [14], the finite attractor property has been used for solving the qualitative LTL\X model checking problem by a reachability analysis between the configurations of the attractor. The finite attractor approach of [14] was streamlined in [15] and [16] where a variant model for probabilistic message losses was introduced. [15] further considered several other kinds of unreliability in message transfers (spurious message duplications or insertions) and showed how, when the finite attractor property was preserved, decidability results could be obtained in a uniform way. For the same model, [17] also considered the verification of qualitative properties and here again the positive results crucially rely on the existence of a finite attractor (see [18]). In the recent paper [19], Mayr *et al.* presented a general framework for verifying qualitative and quantitative aspects in infinite Markov chains with a finite attractor.

Proving that a given set of configurations is an attractor is a required step in all the aforementioned works on probabilistic lossy channel systems. However only [20] gives a real proof (for channel systems with probabilistic losses). The proof is tedious and is not extended to other kinds of corruption, such as duplications or insertions, for which the attractor is stated without proof.

In the aforementioned examples, the underlying reason behind the existence of a finite attractor is the same: when enough messages are present in the channels, the system is more likely to lose messages than to create new ones (by writing, by spurious duplications, etc.). Hence, from “large” configurations, i.e., configurations with many messages, the systems tends to drift towards “small” configurations, with few messages.

***Contribution of this paper.*** In the rest of this note we prove a general result that validates the above informal reasoning. We consider Markov chains where the set  $S$  of configurations is partitioned in “levels”  $S_0, S_1, S_2, \dots$  and show that if the system tends to go to smaller levels in the sense that, from any state in some level  $k \neq 0$ , the

*expected next level* is less than  $k$ , then the lowest level is an attractor. This result can be seen as a variant of Foster’s Theorem [21, Ch. 5], where we do not require strong connectivity, and for which we provide an elementary proof. As an application, we consider the channel systems with probabilistic message losses and duplications from [15,20] and prove the existence of a finite attractor under general conditions, thus providing the proofs that are missing in all the aforementioned works.

## 2 A sufficient condition for the existence of an attractor

**Markov chains.** A Markov chain is a tuple  $\mathcal{M} = (S, \mathbf{P})$  where  $S$  is a countable *state-space* and  $\mathbf{P} : S \times S \rightarrow [0, 1]$  is the *transition probability matrix* where we require that  $\sum_{t \in S} \mathbf{P}(s, t) = 1$  for any state  $s \in S$ . The intuitive operational behavior is that if the current state is  $s$  then the next state is chosen according to a probabilistic choice which selects state  $t$  with probability  $\mathbf{P}(s, t)$ . For  $n \in \mathbb{N}$ , we write  $\mathbf{P}^n(s, t)$  for the probability to be in state  $t$  after exactly  $n$  steps when starting in state  $s$ . Formally,  $\mathbf{P}^{n+1}(s, t) \stackrel{\text{def}}{=} \sum_{u \in S} \mathbf{P}^n(s, u) \cdot \mathbf{P}(u, t)$ , starting from  $\mathbf{P}^0(s, t) \stackrel{\text{def}}{=} 1$  if  $s = t$ ,  $\mathbf{P}^0(s, t) \stackrel{\text{def}}{=} 0$  otherwise. For  $T \subseteq S$  we let  $\mathbf{P}^n(s, T) \stackrel{\text{def}}{=} \sum_{t \in T} \mathbf{P}^n(s, t)$  and  $\mathbf{P}(s, T) = \mathbf{P}^1(s, T)$ . We assume here the standard sigma-field and probability measure (denoted  $\text{Pr}(s_0, \cdot)$ ) on the infinite paths starting in a given starting state  $s_0$ , see, e.g., [22,23]. If  $T \subseteq S$  then  $\diamond T$  denotes the set of infinite paths in  $\mathcal{M}$  that eventually visit  $T$ .  $\text{Pr}(s, \diamond T)$  denotes the probability to reach  $T$  from state  $s$ .  $T$  is called an *attractor* for  $\mathcal{M}$  iff  $\text{Pr}(s, \diamond T) = 1$  for all  $s \in S$ . It then follows that, for any starting state  $s$ , almost surely the attractor  $T$  is visited infinitely often. Observe that  $S$  itself is a (trivial) attractor.

**Left-oriented Markov chains.** We deal here with a special type of markov chains where the state space  $S$  is partitioned into infinitely many levels labeled with non-negative integers. Formally, we assume a partition  $S = \bigcup_{i \in \mathbb{N}} S_i$  with pairwise disjoint (possibly empty) subsets  $S_i$  of  $S$ . We refer to  $S_i$  as the  *$i$ -th level* in  $\mathcal{M}$  and think of  $S_i$  as standing on the right of level  $S_{i-1}$  and on the left of level  $S_{i+1}$ . (However, there is no topological requirement that justifies the notions “left” or “right”: transitions may go from any level  $S_i$  to any level  $S_j$ .) If  $s \in S$  then  $\text{level}(s)$  denotes the unique index  $i \in \mathbb{N}$  such that  $s \in S_i$ . Then,  $\mathbb{E}(s) \stackrel{\text{def}}{=} \sum_{j=0}^{\infty} \mathbf{P}(s, S_j) \cdot j$  denotes the *expected next level* for state  $s$ .<sup>2</sup> Assuming a given partition,  $\mathcal{M}$  is called *left-oriented* iff there exists a positive constant  $\Delta > 0$  such that  $\mathbb{E}(s) \leq \text{level}(s) - \Delta$  for all states  $s \in S \setminus S_0$ , i.e., all  $s$  with  $\text{level}(s) \geq 1$ .

**Theorem 2.1** *For any left-oriented Markov chain  $\mathcal{M}$ , the leftmost level  $S_0$  is an attractor.*

<sup>2</sup> This infinite series needs not converge. Hence,  $\mathbb{E}(s) = +\infty$  is possible. However, we will only consider Markov chains where  $\mathbb{E}(s)$  is finite for all  $s \in S$ .

**PROOF.** We must show that  $\Pr(s, \diamond S_0) = 1$  for all states  $s$ . To simplify the following calculations, we assume that  $S_0$  is a sink, i.e., once  $S_0$  has been entered, it can never be left. Formally,  $\mathbf{P}(s, S_0) = 1$  for all states  $s \in S_0$ . This is no loss of generality since, given an arbitrary  $\mathcal{M}$ , changing the outgoing transitions of the states in  $S_0$  does not affect the probabilities to reach  $S_0$  and hence does not influence whether  $S_0$  is an attractor or not.

This assumption yields that  $\mathbf{P}^n(s, S_0)$  is the probability to reach  $S_0$  from  $s$  within  $n$  or less steps. Hence,  $\Pr(s, \diamond S_0) = \lim_{n \rightarrow \infty} \mathbf{P}^n(s, S_0)$ . We now show by induction on  $n$  that for the expected level after  $n$  steps from state  $s \in S \setminus S_0$  the following inequality holds:

$$\sum_{j=0}^{\infty} \mathbf{P}^n(s, S_j) \cdot j \leq \text{level}(s) - n\Delta + \Delta \sum_{\ell=1}^{n-1} \mathbf{P}^\ell(s, S_0) \quad (*)$$

Here,  $\Delta$  is the positive constant such that  $\mathbb{E}(s) \leq n - \Delta$  for all states  $s \in S \setminus S_0$ .

For  $n = 1$ , (\*) coincides with the statement that  $\mathcal{M}$  is left-oriented. We now assume that  $n \geq 2$  and that the induction hypothesis holds for  $n - 1$ . Then, for all states  $s \in S \setminus S_0$ :

$$\begin{aligned} \sum_{j=0}^{\infty} \mathbf{P}^n(s, S_j) \cdot j &= \sum_{j=1}^{\infty} \mathbf{P}^n(s, S_j) \cdot j = \sum_{j=1}^{\infty} \sum_{k=0}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t) \cdot \mathbf{P}(t, S_j) \cdot j \\ &= \sum_{j=1}^{\infty} \sum_{k=1}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t) \cdot \mathbf{P}(t, S_j) \cdot j \quad (\text{since } \mathbf{P}(t, S_j) = 0 \text{ if } t \in S_0 \text{ and } j \geq 1) \\ &= \sum_{k=1}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t) \cdot \underbrace{\sum_{j=1}^{\infty} \mathbf{P}(t, S_j) \cdot j}_{\leq \text{level}(t) - \Delta = k - \Delta} \\ &\leq \sum_{k=1}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t) \cdot (k - \Delta) \\ &= \sum_{k=1}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t) \cdot k - \Delta \cdot \underbrace{\sum_{k=1}^{\infty} \sum_{t \in S_k} \mathbf{P}^{n-1}(s, t)}_{= 1 - \mathbf{P}^{n-1}(s, S_0)} \\ &\stackrel{\text{ind. hypo.}}{\leq} \text{level}(s) - (n-1)\Delta + \Delta \sum_{\ell=1}^{n-2} \mathbf{P}^\ell(s, S_0) - \Delta \cdot (1 - \mathbf{P}^{n-1}(s, S_0)) \\ &= \text{level}(s) - n\Delta + \Delta \sum_{\ell=1}^{n-1} \mathbf{P}^\ell(s, S_0). \end{aligned}$$

Let us now assume that  $\Pr(s, \diamond S_0) < 1$  for some state  $s$ . Then,  $s \notin S_0$ . Let  $n$  be a natural number with  $n > \text{level}(s) / \Delta(1 - \Pr(s, \diamond S_0))$ . As  $\mathbf{P}^\ell(s, S_0) \leq \Pr(s, \diamond S_0)$  we get:

$$\begin{aligned} -n\Delta + \Delta \sum_{\ell=1}^{n-1} \mathbf{P}^\ell(s, S_0) &\leq -n\Delta + (n-1)\Delta \Pr(s, \diamond S_0) \\ &= \underbrace{-n\Delta(1 - \Pr(s, \diamond S_0))}_{> \text{level}(s)} - \underbrace{\Delta \Pr(s, \diamond S_0)}_{\geq 0} < -\text{level}(s) \end{aligned}$$

Thus, inequality (\*) for the expected level after  $n$  steps from  $s$  yields:

$$0 \leq \sum_{j=0}^{\infty} \mathbf{P}^n(s, S_j) \cdot j \leq \text{level}(s) - n\Delta + \Delta \sum_{\ell=1}^{n-1} \mathbf{P}^{\ell}(s, S_0) < \text{level}(s) - \text{level}(s) = 0$$

This is a contradiction! Hence,  $\Pr(s, \diamond S_0) = 1$  for all  $s \in S$ .  $\square$

**Almost left-oriented chains.** In some situations the requirement that  $\mathbb{E}(s) \leq \text{level}(s) - \Delta$  for all states  $s$  such that  $\text{level}(s) > 0$ , is too restrictive. In fact, the requirement can be relaxed as follows. We say  $\mathcal{M}$  is *almost left-oriented* if there is some positive constant  $\Delta$  and some  $n_0 \in \mathbb{N}$  such that  $\mathbb{E}(s) \leq \text{level}(s) - \Delta$  for all states  $s$  where  $\text{level}(s) > n_0$ .

**Theorem 2.2** *If  $\mathcal{M}$  is almost left-oriented (for a given  $n_0$ ), the levels  $S_i$  are finite (for  $i \leq n_0$ ) and  $S_0$  is reachable from all states in  $S_1 \cup \dots \cup S_{n_0}$ , then  $S_0$  is an attractor of  $\mathcal{M}$ .*

**PROOF.** We consider the partitioning  $S'_0 = \bigcup_{i \leq n_0} S_i$ ,  $S'_i = \emptyset$  for  $1 \leq i \leq n_0$  and  $S'_i = S_i$  for all  $i > n_0$ . For this new partitioning,  $\mathcal{M}$  is left-oriented. Thus, we may apply Theorem 2.1 to obtain that  $S'_0$  is an attractor. Hence, independent on the starting state,  $S'_0$  is visited infinitely often with probability 1. Now, since  $S'_0$  is finite and  $S_0$  is reachable from each state in  $S'_0$ , visiting  $S'_0$  infinitely often entails visiting  $S_0$  almost surely.  $\square$

**Chains with no orientation.** The requirement that  $\Delta$  is strictly positive may seem too restrictive. However, if we consider partitions such that  $\mathbb{E}(s) \leq \text{level}(s)$  for all  $s \notin S_0$ , no general statement can be made. For example, the classic 1-dimensional random walk with a barrier at 0<sup>3</sup> has  $\mathbb{E}(i) = i$  for all  $i > 0$  and it admits  $\{0\}$  as an attractor. On the other hand, the Markov chain  $\mathcal{M} = (\mathbb{N}, \mathbf{P})$  with  $\mathbf{P}(i, i) = 1$  for all  $i \in \mathbb{N}$  has  $\mathbb{E}(i) = i$  but it has no nontrivial attractors.

**Right-oriented chains.** One might expect that if the Markov chain tends to the right, in the sense that  $\mathbb{E}(s) > \text{level}(s)$  for all states  $s$ , then no nontrivial attractors exist. However, no such general statement is possible. There is even *no* function  $f : \mathbb{N} \rightarrow \mathbb{N}$  such that  $\mathbb{E}(s) > f(\text{level}(s))$  for all states  $s$  can ensure that the given Markov chain has no nontrivial attractors. To see why, consider a Markov chain with state space  $S = \mathbb{N}$  and the partition  $S_i = \{i\}$ ,  $i = 0, 1, \dots$ . For the transition probabilities we assume that  $\mathbf{P}(i, 0) = \frac{1}{2}$  and  $\mathbf{P}(i, 4f(i)) \geq \frac{1}{4}$ . The remaining probabilities for the successors of  $i$  are arbitrary. E.g., we may assume that  $i$  has an edge to all states

<sup>3</sup> Formally, we consider the chain  $(\mathbb{N}, \mathbf{P})$  where  $\mathbf{P}(i, i+1) = \mathbf{P}(i, i-1) = \frac{1}{2}$  for  $i \geq 1$  and  $\mathbf{P}(0, 1) = 1$ . For this, it is known that the probability to visit eventually state 0 is 1 for any starting state  $i$ .

$j \in S$ , or we simply may deal with  $\mathbf{P}(i, 4f(i)) = \frac{1}{2}$ . We then have  $\mathbb{E}(i) \geq f(i)$  for all states  $i$ , but  $S_0 = \{0\}$  is an attractor for  $\mathcal{M}$  as  $S_0$  is reachable from any state with probability  $\frac{1}{2}$  by a single transition.

### 3 Probabilistic lossy channel systems

*Channel systems* [24] are a natural model for asynchronous systems that communicate by messages sent along FIFO links. In this section, we will only give an informal description of them and refer to the survey paper [18] (and the references therein) for motivations and formal definitions.




Fig. 1. A channel system

A channel system is made up of some number of finite-state component that communicate through some number of channels. Fig. 1 displays a schematic example with  $n = 2$  components and  $m = 2$  channels. The operational semantics of a channel system is given by a transition system where a *configuration* is a tuple  $s = \langle q_1, \dots, q_n, w_1, \dots, w_m \rangle$  of  $n$  local control states and  $m$  channel contents. Here  $w_i$  is a word over the alphabet of messages, describing what messages are currently in transit in the  $i$ -th channel. For example, the current configuration in Fig. 1 is  $\langle 2, 1, hup \cdot ack \cdot ack, msg \cdot stop \rangle$ .

We often use vector notation  $s = \langle \mathbf{q}, \mathbf{w} \rangle$  for configurations. The *size*  $|\langle \mathbf{q}, \mathbf{w} \rangle|$  of a configuration is the number of messages currently in  $\mathbf{w}$ , i.e.,  $\sum_{i=1}^m |w_i|$ . We write  $S$  for the set of all configurations (of some system), and  $S_k$ , where  $k \in \mathbb{N}$ , for the subset of configurations having size  $k$ . Transitions  $s \rightarrow s'$  are defined in the obvious way: components asynchronously change their local states by following the edges of their control graph and performing the action labeling the edge. Send actions  $c!m$  enqueue message  $m$  in channel  $c$ , read actions  $c?m$  consume  $m$  from the head of  $c$  (this is only allowed if indeed  $m$  is the first message in  $c$ , hence send actions also act as guards), and null actions  $\sqrt{\phantom{x}}$  do not test or modify the channels. For simplicity, we only consider deadlock-free channel systems, i.e., systems where every configuration has at least one possible step allowed.

**Probabilistic lossy channels systems.** The model we consider here is a probabilistic extension where the choice of the next step (and of the performing component) is made probabilistically. Additionally, transmission errors can occur: messages can

be lost from the channels, they can be duplicated spuriously, all this according to some probabilistic laws. More formally, a *probabilistic lossy channel system* (a PLCS) is a channel system equipped with a probability distribution  $\theta$  for the choice of the next step, with a *message loss probability*  $\tau \in [0, 1]$ , and with a *message duplication probability*  $\lambda \in [0, 1]$ . Usually  $\theta$  is given by assigning positive weights to the rules of the components (the edges in their control graph): such weights translate into a mapping  $\theta : S \rightarrow \text{Dist}(S)$  in the standard way (recall that  $\text{Dist}(S)$  is the set of *probability distributions* over  $S$ ). After a next step is chosen probabilistically, message losses and message duplications may occur spuriously. More precisely, each message in  $\mathbf{w}$  is lost with probability  $\tau$ , and each remaining message is duplicated with probability  $\lambda$ .

The operational semantics of a PLCS  $L$  is given by a Markov chain  $\mathcal{M}_L = (S, \mathbf{P})$  where the states are the configurations of  $L$ . Defining the probabilities  $\mathbf{P}(s, s')$  is tedious because one has to combine steps of the components, losses, and duplications, and because there usually exist several different way of reaching a same  $s'$  by one step with losses and duplications. We do not recall the definition here (see [15,20]). However, some properties of  $\mathbf{P}$  can be explained without a full definition: given some  $s$  with  $|s| = n$ , the probability  $\mathbf{Q}(s, S_\ell)$  that one round of losses and duplications transforms  $s$  into some  $s'$  with  $|s'| = \ell$ , written  $\mathbf{Q}(n, \ell)$ , is given by

$$\mathbf{Q}(n, \ell) = \sum_{i=n-\ell}^{\lfloor \frac{n-\ell}{2} \rfloor} \tau^i \cdot (1-\tau)^{n-i} \cdot \binom{n}{i} \cdot \lambda^{\ell-(n-i)} \cdot (1-\lambda)^{2(n-i)-\ell} \cdot \binom{n-i}{\ell-(n-i)} \quad (+)$$

The summation in (+) is nonempty if  $\ell \leq 2n$  and we have  $\mathbf{Q}(n, \ell) = 0$  if  $\ell > 2n$ . (+) can be explained as follows: it considers that first exactly  $i$  messages are lost, and then exactly  $\ell - (n - i)$  of the remaining  $n - i$  messages are duplicated, which gives a total amount of

$$2 \underbrace{(\ell - (n - i))}_{\text{duplicated}} + \underbrace{((n - i) - (\ell - (n - i)))}_{\text{not duplicated}} = 2\ell - 2(n - i) + 2(n - i) - \ell = \ell$$

messages. Here,  $i$  has to fulfill the constraint  $n - i \leq \ell \leq 2(n - i)$ . One derives the expected size of the channels contents after losses and duplications:

$$\sum_{j=0}^{\infty} \mathbf{Q}(n, j) \cdot j = n - n\tau + n(1 - \tau)\lambda = n(1 - \tau)(1 + \lambda). \quad (3.1)$$

For a configuration  $s$  of  $L$ , let us write  $p_!(s)$ ,  $p_?(s)$  and  $p_{\surd}(s)$  for the probabilities that the next step will be, respectively, a send action, a read action, or an internal action. These probabilities only depend on  $\theta$  and, for all  $s$ ,  $p_!(s) + p_?(s) + p_{\surd}(s) = 1$ . Furthermore  $p_?(s) = 0$  when  $|s| = 0$ . Now, the transition probability matrix  $\mathbf{P}$  in  $\mathcal{M}_L$  satisfies for  $|s| = n$ :

$$\mathbf{P}(s, S_\ell) = p_!(s)\mathbf{Q}(n + 1, \ell) + p_?(s)\mathbf{Q}(n - 1, \ell) + p_{\surd}(s)\mathbf{Q}(n, \ell) \quad (3.2)$$

**Theorem 3.1** For any PLCS  $L$  with  $(1 - \tau)(1 + \lambda) < 1$ ,  $S_0$ , the set of configurations where all channels are empty, is an attractor of  $\mathcal{M}_L$ .

**PROOF.** We apply Theorem 2.2 for the partition  $(S_i)_{i \in \mathbb{N}}$  induced by channels contents size, and we show that it makes  $\mathcal{M}_L$  almost left-oriented. Consider a configuration  $s$  with  $n = |s| \geq 1$ . Combining (3.1) and (3.2) yields

$$\mathbb{E}(s) = \sum_{j=0}^{\infty} \mathbf{P}(s, S_j) \cdot j = (n + p_1(s) - p_2(s))(1 - \tau)(1 + \lambda) \leq (n + 1)(1 - \tau)(1 + \lambda).$$

If  $(1 - \tau)(1 + \lambda) < 1$  then there exists  $n_0 \in \mathbb{N}$  such that  $(n + 1)(1 - \tau)(1 + \lambda) \leq n - \frac{1}{2}$  for all  $n \geq n_0$ . Hence  $\mathbb{E}(s) \leq \text{level}(s) - \frac{1}{2}$  for all  $s$  with  $\text{level}(s) \geq n_0$ ,  $\mathcal{M}_L$  is almost left-oriented, and  $S_0$  is an attractor.  $\square$

Theorem 3.1 proves that  $S_0$  is an attractor in  $\mathcal{M}_L$  when  $\lambda = 0$  and  $\tau > 0$ , i.e., for PLCS's without duplication errors as used in [16]. One also sees that if  $\tau > 0$  and  $\lambda \leq \tau$ , i.e., if duplication errors are not more likely than message losses, then again  $S_0$  is an attractor in  $\mathcal{M}_L$ . This result was given in [15, lemma 10] without an explicit proof. But Theorem 3.1 shows that  $S_0$  is an attractor under even weaker conditions: it is enough that  $\lambda < \frac{\tau}{1 - \tau}$ .

**PLCS with insertion errors.** As in [20], we may also consider PLCS where *insertion errors* may occur in any step after losing and duplicating certain messages. In the approach of [20], there is a fixed distribution that specifies the probabilities for an insertion of  $k$  messages at any configuration (and hence independently of said configuration). Let  $K$  be the expected number of inserted messages. Then, the expected next level for any state  $s$  at level  $n$  is  $\mathbb{E}(s) \leq (n + 1)(1 - \tau)(1 + \lambda) + K$ . Again, if  $(1 - \tau)(1 + \lambda) < 1$  then  $\mathbb{E}(s) \leq \text{level}(s) - \frac{1}{2}$  for all configurations of level higher than some  $n_0$  large enough. Thus,  $\mathcal{M}_L$  is almost left-oriented and  $S_0$  is an attractor.

## References

- [1] M. Y. Vardi, Automatic verification of probabilistic concurrent finite-state programs, in: Proc. Foundations of Computer Science (FOCS '85), 1985, pp. 327–338.
- [2] H. Hansson, B. Jonsson, A logic for reasoning about time and reliability, Formal Aspects of Computing 6 (5) (1994) 512–535.
- [3] C. Courcoubetis, M. Yannakakis, The complexity of probabilistic verification, J. ACM 42 (4) (1995) 857–907.

- [4] M. Vardi, Probabilistic linear-time model checking: An overview of the automata-theoretic approach, in: Proc. Formal Methods for Real-Time and Probabilistic Systems (ARTS '99), LNCS 1601, 1999, pp. 265–276.
- [5] J.-M. Couvreur, N. Saheb, G. Sutre, An optimal automata approach to LTL model checking of probabilistic systems, in: Proc. Logic for Programming, Artificial Intelligence, and Reasoning (LPAR 2003), LNAI 2850, 2003, pp. 361–375.
- [6] D. Bustan, S. Rubin, M. Vardi, Verifying  $\omega$ -regular properties of Markov chains, in: Proc. Computer Aided Verification (CAV 2004), LNCS 3114, 2004, pp. 189–201.
- [7] M. Z. Kwiatkowska, G. Norman, D. Parker, PRISM 2.0: A tool for probabilistic model checking, in: Proc. Quantitative Evaluation of Systems (QEST 2004), 2004, pp. 322–323.
- [8] R. Alur, C. Courcoubetis, D. Dill, Model-checking for probabilistic real-time systems, in: Proc. Automata, Languages, and Programming (ICALP '91), LNCS 510, 1991, pp. 115–126.
- [9] M. Z. Kwiatkowska, G. Norman, R. Segala, J. Sproston, Automatic verification of real-time systems with discrete probability distributions, *Theor. Comp. Sci.* 282 (1) (2002) 101–150.
- [10] J. Esparza, A. Kučera, R. Mayr, Model checking probabilistic pushdown automata, in: Proc. Logic in Computer Science (LICS 2004), 2004, pp. 12–21.
- [11] J. Esparza, K. Etessami, Verifying probabilistic procedural programs, in: Proc. Found. of Software Technology and Theor. Comp. Sci. (FST&TCS 2004), LNCS 3328, 2004, pp. 16–31.
- [12] K. Etessami, M. Yannakakis, Algorithmic verification of recursive probabilistic state machines, in: Proc. Tools and Algorithms for the Construction and Analysis of Systems (TACAS 2005), LNCS 3440, 2005, pp. 253–270.
- [13] K. Etessami, M. Yannakakis, Recursive Markov decision processes and recursive stochastic games, in: Proc. Automata, Languages, and Programming (ICALP 2005), LNCS 3580, 2005, pp. 891–903.
- [14] C. Baier, B. Engelen, Establishing qualitative properties for probabilistic lossy channel systems: An algorithmic approach, in: Proc. Formal Methods for Real-Time and Probabilistic Systems (ARTS '99), LNCS 1601, 1999, pp. 34–52.
- [15] P. A. Abdulla, A. Rabinovich, Verification of probabilistic systems with faulty communication, in: Proc. Foundations of Software Science and Computation Structures (FOSSACS 2003), LNCS 2620, 2003, pp. 39–53.
- [16] N. Bertrand, Ph. Schnoebelen, Model checking lossy channels systems is probably decidable, in: Proc. Foundations of Software Science and Computation Structures (FOSSACS 2003), LNCS 2620, 2003, pp. 120–135.
- [17] A. Rabinovich, Quantitative analysis of probabilistic lossy channel systems, in: Proc. Automata, Languages, and Programming (ICALP 2003), LNCS 2719, 2003, pp. 1008–1021.

- [18] Ph. Schnoebelen, The verification of probabilistic lossy channel systems, in: Validation of Stochastic Systems – A Guide to Current Research, LNCS 2925, 2004, pp. 445–465.
- [19] P. Abdulla, N. Ben Henda, R. Mayr, Verifying infinite Markov chains with a finite attractor or the global coarseness property, in: Proc. Logic in Computer Science (LICS 2005), 2005, pp. 127–136.
- [20] P. A. Abdulla, N. Bertrand, A. Rabinovich, Ph. Schnoebelen, Verification of probabilistic systems with faulty communication, To appear in Information and Computation.
- [21] P. Brémaud, Markov Chains: Gibbs Fields, Monte Carlo Simulation, and Queues, Vol. 31 of Texts in Applied Mathematics, Springer, 1999.
- [22] J. G. Kemeny, J. L. Snell, A. W. Knapp, Denumerable Markov Chains, D. Van Nostrand Co., Princeton, NJ, USA, 1966.
- [23] P. Panangaden, Measure and probability for concurrency theorists, Theor. Comp. Sci. 253 (2) (2001) 287–309.
- [24] D. Brand, P. Zafiropulo, On communicating finite-state machines, J. ACM 30 (2) (1983) 323–342.